


■ Vers. 009




Vers. 220+291+274



#### **SCHEMATICS**



### **COMPOSITION EXAMPLES**



### NATUZZI ITALIA

## Timeless 3229

#### TECHNICAL INFORMATION

*	COVERING	Leather 🗸	Soft Cover ✓			
*	OPTIONS	Contrast Stitching	Removable			
4	FILLING	Ams _	Fiber Seat of Foam Feather/Fiber Mix Feather	Cushion Fiber Foam Feather/Fibe	Back cushion	☐ Fiber ✓ Foam ☐ Feather/Fiber Mix ☐ Feather
<u> </u>	COMFORT	Firm Comfort	Standard Comfort			
*	FUNCTION	Bed	Electric motion	Motion	Recliner	Sliding
<b></b>	VISUAL APPEARANCE*	Low ✓	Medium	High		
#	LEGS	Wood	Plastic	Metal ✓	Upholstered	Castors
VISUAL APPEARANCE						
The product may reveal various wrinkles due to the combination of Elasticity of the covering, characteristics of the interior construction and the design of the product.						
	Low	Me	dium	High		
Products with Visual Appearance listed as High or Medium would require higher degree of care, where seats and back cushions may require fluffing and plumping more often than Products with Visual Appearance listed as Low.						

#### **NOTES**

- In leather the model is available starting from cat. 25 (Status).
- · Upholstered side
- Internal structure in molded polyurethane.

Production process:

- 1) Polyurethane resin shape.
- 2) The mold is obtained from this shape
- 3) Inside the mold there is a metal structure that acts as the backbone of the sofa.
- 4) Afterwards the high-density polyurethane (50) is injected into the mold.
- 5) After a specific period of time, this shape stiffens and becomes the body of the sofa.
  - 6) This structure is bonded with a layer of transformed lower density polyurethane to give softness to the seat, to the back and armrests.
  - 7) Everything is covered with dacron, leather or fabric.
  - 8) The end result is a comfort, design and support unchanged over time
- The hidden metal feet with anti-scratch and non-slip rubbers offer a practical solution for protecting floors.

# NATUZZI ITALIA

## Timeless 3229

**NOTES**